

This Patch cord is suitable wiring for Automatic Machine &amp; Robot

26334

STP

CAT5e Double Shield Type

Strong Point

UL20276

Oil resistant, Flame retardant

Flexible · Black jacket

Fix type

Recommendation Open NW.

Approved EtherCAT

Recommendation CC-Link IEF

Approved EtherNet/IP

This cable is small at 5.1mm and Using at small space &amp; wiring in the cabinet

Cable NO	Outer	AWG size	Shield	Core	Spec · Using length	Location
26334	Diameter	AWG28	Copper b+(Al-Mylar)	4P	UL20276	U S bend tyle
Fixed type	5.1mm	7/0.127mm	Double shield	8C	max 10m	2,000 times

Order syle

FLAN

NSP

NSP

26334

□□ · □M

Manufacture & Seller  
Taiyo electric Co.,LtdIndustrial  
STP  
Base NoBoth side RJ45  
Connector


Cable NO

Request length

We are making 200mm at minimum cable length. (Assembly length with less than 1m : +40mm - 0mm)

Standard color Black &amp; Yellow

If you have any question at Spec.and others  
Please contact our staff  
We are making from one peace  
Full inspection check by tester



Industrial EtherNet LAN Cable  
Optical Cable Optical Terminal Box  
Robot Cable Instrumentation Cable  
Network LAN Construction

Net System

ネットシステム株式会社

Net System Co.,Ltd

〒201-0004 東京都柏江市岩戸北3-11-7

TEL 03-5497-7021 FAX 03-5497-7022 <http://www.ns-jpn.co.jp>

This patch cord is suitable wiring for stock yard &amp; factory

21331

STP

CAT5e Dable shield type

Strong Point

UL20276

Heat resistant・RoHS

Fix type

Recommendation open NW

Approved EtherCAT

Recommendation CC-Link IEF

Approved EtherNet/IP

Cable NO	Outer	AWG Size	Shield construction	core	Spec・length	Location
21331	Diameter	AWG24	Copper B+(Al+Mylar)	4P	UL20276	U bend style
Fixed type	6.6mm	0.51mm	Double shield	8c	max 100m	200times

Order style

FLAN

LDP

LDP

21331

□□・□M

Manufacture & Seller  
Taiyo electric Co.,LtdIndustrial  
STP  
Base NoBoth side RJ45  
Connector

Cable NO

Required length

※ We are seller not only Patch cord but also Rj45 connector


※ UL approve is only cable

Standard color (yellow green)

If you have any question at Spec.  
and others .Please contact our staff.

We are making one peace.

Full inspection check by tester



Industrial EtherNet LAN Cable  
Optical Cable Optical Terminal Box  
Robot Cable Instrumentation Cable  
Network LAN Construction

Net System

ネットシステム株式会社

Net System Co.,Ltd

〒201-0004 東京都柏江市岩戸北3-11-7

TEL 03-5497-7021 FAX 03-5497-7022 <http://www.ns-jpn.co.jp>

File	3	CC-Link IEF Recommended	Industrial Ethernet Patch Cord	Aug.2021
------	---	-------------------------	--------------------------------	----------

This patch cord is suitable wiring for stockyard & factory	22353
--	-------

STP	CAT5e Dable shield type
-----	-------------------------

Strong Point	UL444CM	Oil resistant.Flame retardant	Heat resistant・RoHS2	Fix Type	Approved open NW
--------------	---------	-------------------------------	----------------------	----------	------------------

Approved EtherCAT	Recommend CC-Link IEF	Approved EtherNet/ I P
-------------------	-----------------------	------------------------

Cable NO	Outer	AWG Size	Shield construction	Core	Spec・length	Location
22353	Diameter	AWG26	Copper braide+Alpet	4P	UL444CM	U type
Fixed type	6.0mm	7/0.16mm	Double shield	8C	Max 60m	1,000 times

Order Style	FLAN	LDP	LDP	22353	□□・□M
-------------	------	-----	-----	-------	-------

Manufacture & seller  
Taiyo Electric Co.,Ltd


Industrial  
STP  
Base No

Both side RJ45  
Connector

Cable NO

Required Length

- ※ We are seller not only patch cord but also this cable
- ※ UL approved is only cable

<div>Standard Color (Orange)</div> <div>If you have any question at Spec. and others .Please contact our staff.</div> <div>We are making one peace.</div> <div>Full inspection check by tester</div>	
--	--

Industrial EtherNet LAN Cable  
Optical Cable Optical Terminal Box  
Robot Cable Instrumentation Cable  
Network LAN Construction

**Net System**

ネットシステム株式会社

Net System Co.,Ltd

〒201-0004 東京都狛江市岩戸北3-11-7

TEL 03-5497-7021 FAX 03-5497-7022 <http://www.ns-jpn.co.jp>